


# NARMS - EB 1998

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from All Cattle**



↓ Breakpoint


■ Slaughter n=284

■ Diagnostic n=181

# NARMS - EB 1998

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from All Cattle**



↓ Breakpoint


■ Slaughter n=284

■ Diagnostic n=181

# NARMS - EB 1998

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from All Cattle**



↓ Breakpoint


■ Slaughter n=284

■ Diagnostic n=181

# NARMS - EB 1998

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from All Cattle**



↓ Breakpoint


■ Slaughter n=284

■ Diagnostic n=181

# NARMS - EB 1998

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from All Cattle**



↓ Breakpoint

■ Slaughter n=284

■ Diagnostic n=181